Supporting European Aviation



Free Route Airspace Developments in ICAO EUR Region

Concept, Implementation and Support

TIHOMIR TODOROV

Head of Section Airspace Design

8th August 2019







Free Route Airspace

"Giving users the freedom to plan a route in Europe's airspace"

- The Definition
 - A specified airspace within which users may freely plan a route between a defined entry point and a defined exit point, with the possibility to route via intermediate (published or unpublished) waypoints, without reference to the ATS route network, subject to airspace availability. Within this airspace, flights remain subject to air traffic control.
- All issues related to FRA can be found via the following website: https://www.eurocontrol.int/concept/free-route-airspace



Free Route Airspace Implementation Requirements

- It is expected that as from 1st of January 2022 free route be provided and operated in the airspace, within the ICAO EUR region, for which the European Union Member States are responsible at and above FL310.
- Other States may also implement FRA, as they consider feasible.



Free Route Airspace Main Principles

FRA shall be operationally driven and produce tangible benefits for all airspace users

Military airspace requirements shall be satisfied

European Airspace Design Methodology will be respected

Common practice and methodology, used by EUROCONTROL/NM, will be applied



Free Route Airspace Implementation Ways

Horizontally (local):

- Flights allowed to flight plan within "specified airspace" between officially published Entry/eXit points or via Intermediate points.
- "Specified airspace" usually represents the area of responsibility for relevant air traffic control (ATC) unit (CTA/UTA → ACC/UAC).

Horizontally (cross-border):

Enlarged cross-border States projects - FRA regardless of FIR or State borders.

Vertically:

- Level limited (different FRA lower limits):
 - Above FL305; FL285; FL245; FL175, FL105, FL095, 9500 FT, etc.

Timely:

- H24;
- Time limited:
 - Core night (e.g. as 22:00 04:00 Summer time);
 - Near night (extended night);
 - · + Weekend;
- Seasonal basis within individual State:
 - winter and summer different FRA operational hours.



Free Route Airspace Current Implementation

- FRA Concept implementation within the ICAO EUR Region started on 07 MAY 2009 by Portugal within the airspace of Lisboa FIR.
- Until August 2019 FRA Concept is currently implemented within the airspaces of Albania, Armenia, Austria, Belgium (Maastricht UAC), Belarus, Bosnia and Herzegovina, Bulgaria, Croatia, Denmark, Estonia, Finland, Georgia, Germany (Maastricht UAC and Karlsruhe UAC), Hungary, Ireland, Italy, Latvia, Lithuania, Luxembourg (Maastricht UAC), Malta, Montenegro, Netherlands (Maastricht UAC), North Macedonia, Norway, Poland, Portugal, Republic of Moldova, Romania, Serbia, Slovakia, Slovenia, Sweden and Ukraine.




Free Route Airspace Expected Implementation - end 2019

- FRA Morocco Phase 1 Night FRA FL195 FL660 within the AoR of Agadir ACC: 10 OCT 2019;
- SEE FRA South East Europe Free Route Airspace Extension of existing cross-border FRA operations (FL175 / FL105 / 9500 FT - FL660) from Night to H24 within Sofia FIR, Bucuresti FIR and Budapest FIR: 07 NOV 2019;
- FRASC Free Route Airspace South Caucasus Merging of existing H24
 FIR based FRA operations into cross-border FRA operations (FL195 FL660) within Yerevan FIR and Tbilisi FIR: 07 NOV 2019;
- FRAM Phase 3 Free Route Airspace Maastricht UAC Expansion of existing Night and Weekend FRA (FL245 - FL660) to H24 within the AoR of Maastricht UAC: 05 DEC 2019.




Free Route Airspace - end 2019





Free Route Airspace - end 2021





Free Route Airspace Document support - FRA Design Guidelines

- The FRA Design Guidelines document was developed in order to provide additional clarifications and guidelines on FRA design matters related to airspace organisational aspects in FRA implementation. It guides States in FRA design on the way in which different components shall be defined and published and how FRA shall be implemented ensuring a harmonized European network approach.
- The FRA Design Guidelines document contains the following Chapters:
 - "Establishment of a significant point in FRA" covering establishment of FRA significant points, their positioning at collocated boundaries, their combinations and use of NAVAID as FRA significant point.
 - "Fixed ATS Route Network in FRA" covering general issues and FRA with/without fixed ATS route network.
 - "Flight Level Orientation Scheme (FLOS) in FRA" covering general issues, FLOS inside single and cross-border FRA area and requirements for AIP publication;
 - "FRA Connecting Routes" covering their establishment and AIP publication.



Free Route Airspace Data support - FRA Points relevance and usage

- EUROCONTROL provided to its Operational Stakeholders the FRA significant points definition in accordance with State AIPs in the form of xls table.
- The FRA points xls file is organised on the way to include all AIP published data for FRA significant points - relevance, airports reference, vertical FL availability, FLOS and all other available FRA information. It is compatible and usable by EUROCONTROL charting and ready for possible future FRA points map presentation and display purposes.
- The FRA points xls file is maintained and updated by EUROCONTROL. The data for each AIRAC is published externally via the following website: https://www.eurocontrol.int/publications/free-route-airspace-fra-points-list

Change Record	Point Type	FRA Point	FRA Name	FRA Status 1	FRA Status 2	Arrival Airport	Departure Airport	FLOS	Level Availability	Time Availability	Loc. indicators
		ADORU	SEEN FRA	Χ	-			ODD	FL175 / FL660	23:00 - 05:00 (22:00 - 04:00)	LBSR,LTBB
		ADUNO	SEEN FRA	1	Α	LBPD,LBSF		-	FL175 / FL660	23:00 - 05:00 (22:00 - 04:00)	LBSR
		ADVER	SEEN FRA	1	-			-	FL245 / FL660	23:00 - 05:00 (22:00 - 04:00)	LBSR
		ADVER	SEEN FRA	Χ	-			-	FL175 / FL245	23:00 - 05:00 (22:00 - 04:00)	LBSR
		ALIVI	SEEN FRA	I	-			-	FL175 / FL660	23:00 - 05:00 (22:00 - 04:00)	LBSR
		AMTOV	SEEN FRA	1	AD	LBBG,LBWN	LBBG,LBWN	-	FL175 / FL660	23:00 - 05:00 (22:00 - 04:00)	LBSR
		BULEN	SEEN FRA	Е	Α	LBBG,LBWN		ODD	FL175 / FL245	05:00 - 23:00 (04:00 - 22:00)	LBSR,LRBB
		BULEN	SEEN FRA	Χ	-			-	FL105 / FL175	23:00 - 05:00 (22:00 - 04:00)	LRBB,LBSR
		BULEN	SEEN FRA	1	-			-	FL175 / FL660	23:00 - 05:00 (22:00 - 04:00)	LRBB,LBSR
		BUVAK	SEEN FRA	1	Α	LTFM, LTBA, LTFJ)		-	FL175 / FL660	23:00 - 05:00 (22:00 - 04:00)	LBSR
		DOLAP	SECSI FRA	E	-			EVEN	FL205 / FL660	H24	LYBA,LBSR
		DOLAP	SEEN FRA	Χ	D		LBSF	EVEN	FL245 / FL660	23:00 - 05:00 (22:00 - 04:00)	LBSR,LYBA
	DME	EMO	SEEN FRA	1	-			-	FL175 / FL660	23:00 - 05:00 (22:00 - 04:00)	LBSR



QUESTIONS and COMMENTS