

SAFE SKIES.
SUSTAINABLE
FUTURE.



ICAO

ICAO APAC/MID ATFM-FF-ICE Seminar 2025 Dubai, UAE, 23 – 26 February 2025

ATFM New Provisions

Elie El Khoury

Technical Officer, Air Traffic Management
Air Navigation Bureau Regional Coordinator
International Civil Aviation Organization (ICAO)

Amendment of the ICAO Provisions related to ATFM (Annex 11 and PANS-ATM) and the guidance material in Doc 9971





ATFM is demand/capacity balancing









Why ATFM Collaboration?

Contingencies











Currently in PANS-ATM shall ATFM nted for be imply airsp exceed defined ATC capacity.

New Standards in Annex 11

- States shall ensure the establishment of ATFM service that supports cross-border ATFM cooperation.
- Determination and declaration of the ATC capacity in the form of Strategic Capacity and Operational Capacity.
- Coordination and communication between ATFM units;
- Exchange of ATFM information.

New Recommendation in Annex 11

ATFM should be implemented on the basis of multilateral agreements and where possible as a centralized ATFM organization

- Civil Aviation Regulations
- ATFM unit with defined area of responsibility,

an ATFM unit may be established as a separate unit or combined with an existing unit, such as an air traffic control unit.

The area of responsibility of ATFM units should be related to the need for effective and efficient ATFM services rather than to boundaries established for other services

FMPs

A point of contact designated by an ATC unit to be responsible for coordination with the ATFM unit concerned. A flow management position may be established as a standalone position or combined with an existing position.

 Determination of strategic and operational capacities for the controlled airspace and designated aerodromes.

ATFM service into 4 phases:

Strategic planning: 7 days or more

Pre-tactical: 1 to 6 days

Tactical: on the day

Post operations: after

- Information to be provided to ATFM units
- Exchange of information between ATFM units
- Communication of ATFM units with ATS units, FF-ICE services units, operators, aerodromes, etc.
- FPL and eFPL:

ATC unit receiving FPL message shall distribute it to the ATFM units serving their airspace.

The FF-ICE services unit shall ensure that the filed flight plan is made available to all ATS units and ATFM units concerned within its area of responsibility



Inclusion of ATFM messages:

General ATFM information

- Publication or revision of the ATFM daily plan (ADP)
- Activation and revision of ATFM measure
- Cancellation of ATFM measure

Flight-specific ATFM information

- Ground delay programme flight information
- Ground stop flight information
- Re-route flight information
- Level capping flight information
- Airborne delay programme flight information
 - Cancel ATFM measure flight information

Flow-specific ATFM information

- Re-route flow information
- Level capping flow information
- Cancel ATFM measure flow information

ATFM measures mitigation information

- Request ATFM measure slot swap
- Request ATFM measure flight calculated take off time
 (CTOT) adjustment
- Request ATFM measure flight exclusion or re-inclusion
- Request ATFM measure flight manual exemption

ATFM Guidance - what's new?

Doc 9971: Manual on...


Doc 9971 was published in 2012 (3rd Edition in 2018)

Part 1 – Collaborative Decision Making (CDM)

Part 2 – Air Traffic Flow Management (ATFM)

Part 3 – Airport CDM (A-CDM)

New Part 4: Operational Handbook







Long Term Objective is to achieve the

ATFM NETWORK OF THE NETWORKS

For Global Cooperation

ATFM cross-border
Intra-regional and regional ATFM
Inter-regional ATFM







Evolved ATFM











Thank You

ICAO Headquarters Montréal European and North Atlantic (EUR/NAT) Office Paris

> Middle East (MID) Office Cairo

Western and Central African (WACAF) Office Dakar

> Asia and Pacific (APAC) Office Bangkok

Asia and Pacific

Beijing

(APAC) Sub-office

Eastern and Southern African (ESAF) Office Nairobi

North American
Central American
and Caribbean
(NACC) Office
Mexico City

South American (SAM) Office

